



TRAIL WIDTH TABLE	
TYPE OF PARK	WIDTH OF TRAIL
REGIONAL PARKS	10 - 12 FEET
NEIGHBORHOOD PARKS	5 FEET
GREEN SPACE	6 - 8 FEET
SPECIAL USE FACILITIES	5 FEET

PARKS AND RECREATION DEPARTMENT WILL DETERMINE THE PARK DESIGNATION.

NOTE:

- 3/4" TO DUST LIME STONE. ALL MATERIALS WILL BE COMPACTED
- TRAIL BORDER WILL BE CONCRETE CURB OR CUT STONE (MORTARED OR UNMORTARED) PER DETAIL 1301S-2-SM
- IN AREAS OF EROSION CONCRETE SIDE WALK WILL BE INSTALLED OR OTHER APPROVED NON-ERODIBLE SURFACE FOR TRAIL AT LOCATION OF EROSION.
- RAMPS AT INTERSECTION WILL BE CONCRETE. AT STREET INTERSECTION FOLLOW CITY DETAIL 432S-3-SM.
- TRAIL MARKERS OF APPROVED DESIGN SHOWING DISTANCE ALONG PATH AS DIRECTED BY CITY WITH TRAIL NAME AND DISTANCE FROM START. MARKERS MUST BE HIGHLY VISIBLE FROM BOTH DIRECTION ON THE TRAIL. TRAIL MARKERS TO BE PLACED 1 FOOT OFFSET FROM EDGE OF TRAIL.
- MATERIALS AND CONSTRUCTION SHALL BE IN ACCORDANCE WITH THE SPECIFICATIONS.
- CLEAR ZONE CAN BE SHIFTED TO ONE SIDE PER PROJECT'S CONSTRAINTS. CLEAR ZONE CAN NOT HAVE LARGE SHRUBS OR TREES WITHIN IN IT AND WILL HAVE 10 FEET (8 FEET MINIMUM) OF OVERHEAD CLEARANCE. TREES 9" OR LARGER REQUIRE MITIGATION PER CODE IF REMOVED.

REFERENCES

DETAIL 432-3-SM
 DETAIL 1301S-2-SM

The City of San Marcos Engineering and Capital Improvements		IMPROVED HIKE AND BIKE TRAIL - 3/4" TO DUST LIME STONE	
RECORD COPY SIGNED BY LAURIE MOYER, P.E.	12/11/2015 ADOPTED	THE ARCHITECT/ENGINEER ASSUMES RESPONSIBILITY FOR APPROPRIATE USE OF THIS STANDARD.	STANDARD NO. 1301S-1C-SM 1 OF 1